



**RENOVATIONS AND ADDITION
TO CLASSROOM BUILDINGS
FOLSOM JR. HIGH SCHOOL
ST. TAMMANY PARISH SCHOOL BOARD**
FOLSOM, LOUISIANA
80055 HAY HOLLOW ROAD

PLUMBING FIXTURE SCHEDULE

NO.	FIXTURE	PIPE SIZE					A.D.A. COMPLIANT	CARRIER	REMARKS
		TRAP	WASTE	VENT	C.W.	H.W.			
WC-A	WATER CLOSET	INT	4"	3"	1"	--	YES	--	KOHLER K-4368, FLOOR MOUNTED VITREOUS CHINA WATER CLOSET; SOLID PLASTIC SEAT WITH OPEN FRONT AND CHECK HINGE, BOLT CAPS AND SLOAN OPTIMA 111ES-S, SENSOR OPERATED FLUSH VALVE WITH TRANSFORMER.
WC-B	WATER CLOSET	INT	4"	3"	1"	--	NO	--	KOHLER K-4350, FLOOR MOUNTED VITREOUS CHINA WATER CLOSET; SOLID PLASTIC SEAT WITH OPEN FRONT AND CHECK HINGE, BOLT CAPS AND SLOAN OPTIMA 111ES-S, SENSOR OPERATED FLUSH VALVE WITH TRANSFORMER.
U-A	URINAL (HANDICAPPED)	INT	2"	2"	3/4"	--	YES	YES	KOHLER K-4960-ET VITREOUS CHINA WALL HUNG URINAL, 1.0 GPF, COMPLETE WITH SLOAN MODEL 8186-1.0 LOW CONSUMPTION FLUSH VALVE WITH VACUUM BREAKER AND SCREW DRIVER STOP, ETC. JR SMITH CARRIER MODEL 0636 FOR OFF THE FLOOR URINALS. WITH HANGER PLATE FOR BLOWOUT AND WASHOUT URINALS WITH WALL HANGERS.
EWC	ELECTRIC WATER COOLER	1-1/4"	2"	2"	1/2"	--	YES	--	ELKAY MODEL LZSB SINGLE LEVEL ELECTRIC WATER COOLER
L-A	LAVATORY	1 1/4"	2"	2"	1/2"	1/2"	YES	YES	KOHLER K-2032, SQUARE WALL MOUNTED LAVATORY WITH JR SMITH 700 FLOOR MOUNTED CONCEALED ARM CHAIR CARRIER, 1-1/4" 17 GAUGE CHROME PLATED P-TRAP AND 3/8" ANGLE STOPS. CHICAGO FAUCETS 3400-CP 4" CENTERS WITH GRID DRAIN, TAILPIECE TRAP PRIMER AND LEONARD 108 THERMOSTATIC MIXING VALVE.
L-B	LAVATORY	1 1/4"	2"	2"	1/2"	1/2"	YES	YES	KOHLER K-2032, SQUARE WALL MOUNTED LAVATORY WITH JR SMITH 700 FLOOR MOUNTED CONCEALED ARM CHAIR CARRIER, 1-1/4" 17 GAUGE CHROME PLATED P-TRAP AND 3/8" ANGLE STOPS. KOHLER FAUCET K-15598 4" CENTERS WITH GRID DRAIN, TAILPIECE TRAP PRIMER.
GCO	GRADE CLEANOUT	--	LINE	--	--	--	--	--	JAY R. SMITH 4250 SERIES GRADE CLEANOUT, YARD TYPE WITH CAST IRON BODY, RING AND COVER.
WCO	WALL CLEAN OUT	--	LINE	--	--	--	--	--	JAY R. SMITH 4510 SERIES WALL TYPE, CAST IRON BODY, ABS THREADED PLUG AND ACCESS PANEL
HB-A	HOSE BIBB	--	--	--	3/4"	--	--	--	WOODFORD MODEL B24 BOX TYPE WALL MOUNTED HOSE BIBB WITH VACUUM BREAKERS.
HB-B	HOSE BIBB	--	--	--	3/4"	--	--	--	WOODFORD MODEL B24 WALL MOUNTED HOSE BIBB WITH VACUUM BREAKERS.
SK-A	SINK	1-1/2"	2"	2"	1/2"	1/2"	NO	--	ELKAY DLR-3322, DOUBLE COMPARTMENT 18 GA. STAINLESS STEEL SINK WITH ELKAY LKD2432 TWO HANDLE FAUCET, 8" SWING SPOUT, STRAINER, 1-1/2" CAST BRASS P-TRAP; 3/8" ANGLE SUPPLIES WITH STOPS.
SK-B	SINK	1-1/2"	2"	2"	1/2"	1/2"	NO	--	ELKAY LRAD1720, SINGLE COMPARTMENT 18 GA. STAINLESS STEEL SINK WITH ELKAY LKD2432 TWO HANDLE FAUCET, 8" SWING SPOUT, STRAINER, 1-1/2" CAST BRASS P-TRAP; 3/8" ANGLE SUPPLIES WITH STOPS.
SS	MOP SINK	1-1/2"	2"	2"	3/4"	3/4"	NO	--	CRANE MSB 2424, 24"X24" MOLDED STONE SERVICE SINK WITH SERVICE SINK FAUCET, HOSE AND HOSE BRACKET, BUMPER GUARD AND MOP HANGER.
FD	FLOOR DRAIN	3"	3"	2"	--	--	--	--	JAY R. SMITH 2010 CAST IRON BODY, 6 IN. DIA. STRAINER OF NICKEL BRONZE
WH-A	WATER HEATER	--	--	--	3/4"	3/4"	--	--	RUUD/RHEEM 30 GALLON POINT OF USE WATER HEATER, MODEL EGSP30 6,000 WATT ELEMENT 208-1-60 VOLTS.
WH-B	WATER HEATER	--	--	--	3/4"	3/4"	--	--	RUUD/RHEEM 2 1/2 GALLON POINT OF USE WATER HEATER, MODEL EGSP2 1,500 WATT ELEMENT 208-1-60 VOLTS.
AP	ACCESS PANEL	--	--	--	--	--	--	--	MINIMUM OF 12"X12". COORDINATE COLOR WITH SURROUNDING FINISHED SURFACES. PROVIDE RATED ACCESS PANEL WHERE REQUIRED. (REFER TO ARCHITECTURAL DRAWINGS)
WHA-	WATER HAMMER ARRESTOR	--	--	--	--	--	--	--	PPP INC. WATER HAMMER ARRESTOR WITH FULL PORT BALL VALVE AND ACCESS PANEL, (SIZE ON PLUMBING RISERS)

- NOTES:
- INSULATE ALL EXPOSED P-TRAPS AND ANGLE SUPPLIES ON LAVS AND SINKS WITH TRUEBRO HANDI LAV-GUARD OR EQUAL.
 - PROVIDE AND INSTALL PISTON TYPE WATER HAMMER ARRESTORS AT ALL DOMESTIC WATER STUB-OUTS.
 - PROVIDE AND INSTALL 6" DEEP SEAL P-TRAPS FOR ALL FLOOR DRAINS AND HUB DRAINS. (ALL FLOOR DRAINS TO HAVE TRAP PRIMERS.)
 - ALL PLUMBING FIXTURES THAT REQUIRE VACUUM BREAKERS SUCH AS SERVICE SINKS, HOSE BIBBS, AND/OR SPECIAL EQUIP. SHALL BE SO EQUIPPED.
 - ALL HANDICAPPED PLUMBING FIXTURES SHALL BE SET TO "ADA" HEIGHT REQUIREMENTS. REFER TO ARCHITECTURAL DRAWINGS FOR EXACT HEIGHTS.
 - CONTRACTOR SHALL VERIFY THAT ALL WATER HEATERS SHALL FIT IN THE SPACE PROVIDED AND THAT THE MANUF. RECOMMENDED SERVICE CLEARANCES ARE MAINTAINED.
 - ALL WATER CLOSETS AND URINALS SHALL FULLY CONFORM WITH LOW FLUSH REQUIREMENTS. WATER CLOSETS SHALL HAVE A MAX. OF 1.6 GPF AND URINALS SHALL HAVE A MAX. OF 1.0 GPF.
 - ALL FLOOR DRAINS SHALL REQUIRE 1/2" TRAP PRIMER LINE RUN UNDER SLAB FROM TAILPIECE TRAP PRIMER.

1 PLUMBING SCHEDULES
M3.02 NO SCALE

RCE PROJECT NO. 28329

RITTER CONSULTING ENGINEERS, LTD.
3009 208 STREET
METairie, LOUISIANA 70002
504-885-7400 FAX 504-885-7401

289 RIDGEWAY DRIVE SUITE C-2
LAUREL, LOUISIANA 70001
504-885-7400 FAX 504-885-7401

USE AND INTERPRETATION OF THIS DRAWING

- GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION, ARTICLE 1 (AN DOCUMENT ASH) ARE PART OF THE CONTRACT DOCUMENTS AND DESCRIBE THE SCOPE AND INTENT OF THE DRAWING. THE CONTRACT DOCUMENTS INCLUDE NOT ONLY THE DRAWINGS, BUT ALSO THE OWNER-CONTRACTOR AGREEMENT, CONDITIONS OF THE CONTRACT, THE SPECIFICATIONS, ADDENDA, AND MODIFICATIONS ISSUED AFTER EXECUTION OF THE CONTRACT. THESE CONTRACT DOCUMENTS ARE COMPLEMENTARY, AND WHAT IS REQUIRED BY ANYONE SHALL BE AS SHOWN AND IF REQUIRED BY ALL, WORK NOT COMPLETELY DELINEATED HEREON SHALL BE CONSIDERED OF THE SAME MATERIALS AND DETAILS UNLESS AS WORK SHOWN MORE COMPLETELY ELSEWHERE IN THE CONTRACT DOCUMENTS.
- BY USE OF THE DRAWING FOR CONSTRUCTION OF THE PROJECT, THE OWNER REPRESENTS THAT HE HAS REVIEWED AND APPROVED THE DRAWINGS, AND THAT THE CONSTRUCTION DOCUMENTS OF THE PROJECT IS COMPLETE. THE CONTRACTOR REPRESENTS THAT HE HAS VISITED THE SITE, FAMILIARIZED HIMSELF WITH THE LOCAL CONDITIONS, VISITED FIELD CONDITIONS AND CORRELATED HIS OBSERVATIONS WITH REQUIREMENTS OF THE CONTRACT DOCUMENTS.
- THE CONTRACT BIDDING AND CONTRACT TIME MAY BE CHANGED ONLY BY CHANGE ORDER TO THE CONTRACTOR ISSUED BY THE OWNER AND THE ARCHITECT. ANY WORK PERFORMED IN VIOLATION WITH THE CONTRACT DOCUMENTS AND NOT COVERED BY THE ARCHITECT'S WRITTEN ORDER FOR A MINOR CHANGE IN THE WORK OR A CHANGE ORDER, WILL NOT BE ACCEPTED.
- AS INSTRUMENTS OF SERVICE, ALL DRAWINGS, SPECIFICATIONS AND COPIES THEREOF FURNISHED BY THE ARCHITECT ARE HIS PROPERTY. THEY ARE TO BE USED ONLY FOR THIS PROJECT AND ARE NOT TO BE USED ON ANY OTHER PROJECT. CONSENT TO THE OWNER MAY ONLY BE MADE BY THE ARCHITECT. ANY SUBMISSION OR DISTRIBUTION WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ARCHITECT MAY BE CONSIDERED AS DEROGATION OF THE ARCHITECT'S COPYRIGHT OR OTHER RESERVED RIGHTS.

REUSE OF THIS DRAWING IN ANY MANNER IS STRICTLY PROHIBITED WITHOUT THE WRITTEN APPROVAL OF RITTER CONSULTING ENGINEERS, LTD.

DATE ISSUED: 10 JUNE 2009
 REVISED: _____
 REVISED: _____
 REVISED: _____
 DRAWN BY: RTM
 CHECKED BY: ELRFJS
 PHASE: _____

CONSTRUCTION DOCUMENTS

08060

TITLE: _____

PLUMBING SCHEDULES

SHEET: _____

M3.02