



- GENERAL NOTES**
- SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR APPROXIMATE LOCATIONS AND NUMBER OF FIXTURES; ITEMS SHALL BE INSTALLED AT CEILING IN ACCORDANCE WITH ARCHITECTURAL REFLECTED CEILING PLANS
 - ALL ITEMS INSTALLED ON CEILING SURFACES (I.E.: DETECTORS, SPRINKLER HEADS, SPEAKERS, ETC.) SHALL BE INSTALLED CENTERED IN CEILING PANELS OR IN GYPSUM BOARD AREAS PER ARCHITECTURAL REFLECTED CEILING PLANS
 - ALL SPRINKLER HEADS AND OTHER DEVICES NOT SHOWN SHALL BE INSTALLED TO FOLLOW GEOMETRIES OR PATTERNS ESTABLISHED BY LIGHT FIXTURES AND OTHER SHOWN DEVICES
 - BLANK AREAS ARE OPEN TO STRUCTURE ABOVE
 - SEE INTERIOR ELEVATIONS FOR SOFFIT HEIGHTS NOT GIVEN
 - PRIOR TO INSTALLATION OF LIGHTING, VERIFY THAT DOORS SWING CLEAR OF FIXTURES
 - FOR CEILING DETAILS, SEE SHEET A604

- CEILING LEGEND**
- CEMENT PLASTER
 - EXPOSED FASTENER METAL SOFFIT PANELS [CORRUGATED PERFORATED]
 - INTERLOCKING METAL PANEL SYSTEM
 - GYPSUM BOARD
 - EXPOSED STRUCTURE ABOVE; PAINT ALL SURFACES, UNO
 - SUSPENDED ACOUSTICAL PANEL CEILING
 - SUSPENDED METAL PANEL CEILING
 - SUSPENDED ACOUSTICAL SOUND CONTROL PANEL
 - OPENING IN CONCRETE SLAB; SEE STRUCTURAL AND MECHANICAL
 - CEILING HEIGHT ABOVE FINISHED FLOOR
 - SURFACE-MOUNTED LIGHT FIXTURE
 - RECESSED LIGHT FIXTURE
 - STRIP LIGHT FIXTURE
 - LINEAR LIGHT FIXTURE
 - 2'x4' LIGHT FIXTURE
 - 2'x2' LIGHT FIXTURE
 - UNDERCOUNTER FIXTURE
 - WALL BRACKET LIGHT FIXTURE
 - DIRECTIONAL LIGHT FIXTURE
 - HVAC SUPPLY DIFFUSER
 - HVAC RETURN AIR GRILLE
 - HVAC EXHAUST FAN
 - SEMI-RECESSED SPRINKLER HEAD
 - CONCEALED SPRINKLER HEAD

2 SECOND FLOOR RCP - NEW BRIDGE
Scale: 1/8" = 1'-0"

1 SECOND FLOOR REFLECTED CEILING PLAN - NEW BUILDING
Scale: 1/8" = 1'-0"

Waggoner & Ball Architects
2200 PRYTHANA STREET
NEW ORLEANS, LOUISIANA 70130
T 504.524.5308 F 504.524.5314
wbaarchitects.com

ACADEMY OF THE SACRED HEART PHASE 2
New Arts and Athletics Facility
4501 CARONDELET ST.
NEW ORLEANS, LOUISIANA 70115
PROJECT NO.: 0209-20

SHEET TITLE:
SECOND FLOOR
REFLECTED CEILING PLAN
NEW BUILDING

DATE: JAN 08, 2010
DRAWN BY:
REVISION:



A602