



- GENERAL NOTES THIS SHEET
- A. SEE SHEET EA01 FOR CONDUIT INSTALLATION REQUIREMENTS OF TEL/DATA OUTLETS.
 - B. MOUNT TV RECEPTACLE AT 80" ABOVE FINISHED FLOOR (AFF) TO COINCIDE WITH POWER RECEPTACLE.
- SPECIFIC NOTES THIS SHEET:
- 1) 2" C WITH PULL WIRE FROM 1ST FLOOR. STUB UP 6" ABOVE FLOOR FOR CABLE TV.
 - 2) 6" C WITH 2-2" INERDUCT EACH WITH PULL WIRES FROM 1ST FLOOR. STUB UP 6" ABOVE FLOOR FOR DATA.
 - 3) 6" C WITH 2-2" INERDUCT EACH WITH PULL WIRE FROM 1ST FLOOR. STUB UP 6" ABOVE FLOOR FOR TELECOMMUNICATIONS. AIR DUCT SMOKE DETECTOR, INTERLOCK SMOKE DETECTOR WITH SMOKE & SMOKE/FIRE DAMPER. SEE SHEET E202.

1 SECOND FLOOR PLAN - SPECIAL SYSTEMS

E302 1/8"=1'-0" NORTH



THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO LUCIEN T. VIVIEN JR. & ASSOCIATES, INC. IT IS TO BE KEPT CONFIDENTIAL AND NOT DISCLOSED, REPRODUCED, COPIED, OR USED FOR ANY PURPOSE IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF LUCIEN T. VIVIEN JR. & ASSOCIATES, INC.

LUCIEN T. VIVIEN JR. AND ASSOCIATES, INC.
CONSULTING ENGINEERS

1321 HIGHWAY AVENUE - SUITE 100
HARRAH, LOUISIANA 70123
T (504) 218-5409 F (504) 218-5412
www.vivienengineers.com

PROJECT DESIGN GROUP, LLC
300 LAFAYETTE STREET, SUITE 200
NEW ORLEANS, LOUISIANA 70130
(504) 523-6472 FAX (504) 529-1181

REK ARCHITECTS, LLC
21489 KOOP DRIVE, SUITE 5
MANDREVILLE, LOUISIANA 70471
(985) 875-7534 FAX (985) 875-7837

revisions		
no.	revision	date
1	ADDENDUM #2	11-13-09
2		
3		
4		
5		

**SLIDELL MUNICIPAL CENTER
BUILDING 2**
SLIDELL, LA

SECOND FLOOR PLAN - SPECIAL SYSTEMS

File name	E302.dwg	drawing number	E302
Project number	51093.02		
date	9-05-09		
phase	100% FIRE MARSHAL		