



1 SECOND FLOOR PLAN - PLUMBING
 M102 1/8"=1'-0"
 NORTH

- GENERAL NOTES THIS SHEET:**
- A. ALL WASTE AND STORM DRAIN PIPING SHOWN SHALL BE RUN BELOW SLAB UNLESS NOTED OTHERWISE.
 - B. HANG ALL UNDERGROUND PIPING FROM SLAB. SEE MAIN BUILDING PIPE HANGER DETAIL ON SHEET M403.
 - C. ALL 1/4" CM AND VENT PIPING SHALL BE RUN ABOVE CEILING UNLESS NOTED OTHERWISE.
 - D. SEE PLUMBING RISER DIAGRAMS ON SHEET M302 FOR PIPE SIZING AND SHUT OFF VALVES NOT SHOWN ON PLANS.
 - E. COORDINATE EXACT ROUTING OF ALL PIPING SO AS NOT TO CONFLICT WITH OTHER TRADES INCLUDING DUCTWORK AND ELECTRICAL.
 - F. COORDINATE EXACT LOCATION OF ALL FLOOR DRAINS WITH MECHANICAL EQUIPMENT AND ARCHITECTURAL PRIOR TO ANY ROUGH-IN.
- SPECIFIC NOTES THIS SHEET:**
- ① 3" CM LINE DN TO 1st FLOOR & 2" UP TO 3rd FLOOR.
 - ② 4" WASTE LINE UP TO 3rd FLOOR & 4" DOWN TO 1st FLOOR.
 - ③ MANUAL STANDPIPE WITH F.D. HOSE CONNECTION.
 - ④ 4" SPRINKLER SUPPLY FOR THE FLOOR WITH MONITORED SHUT OFF VALVE.
 - ⑤ EWH-1. SEE TYPICAL PIPING DETAIL SHEET M403.

STATE OF LOUISIANA
 License No. 7985
 Licent Eugene Vivien
 Professional Engineer
 Mechanical
 SEPTEMBER 5, 2009

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO LUCIEN T. VIVIEN JR. & ASSOCIATES, INC. ANY REPRODUCTION OR DISSEMINATION OF THIS DOCUMENT WITHOUT THE WRITTEN CONSENT OF LUCIEN T. VIVIEN JR. & ASSOCIATES, INC. IS PROHIBITED.

LUCIEN T. VIVIEN JR. AND ASSOCIATES, INC.
 CONSULTING ENGINEERS

1321 HIGHWAY AVENUE - SUITE 100
 HARRAHAN, LOUISIANA 70123
 T (504) 218-5409 F (504) 218-5412
 www.vivienengineers.com

PROJECT DESIGN GROUP, LLC
 300 LAFAYETTE STREET, SUITE 200
 NEW ORLEANS, LOUISIANA 70130
 (504) 523-6472 FAX (504) 529-1181

REK ARCHITECTS, LLC
 21489 KOOP DRIVE, SUITE 5
 MANDEVILLE, LOUISIANA 70471
 (985) 875-7534 FAX (985) 875-7837

revisions		
no.	revision	date
1	ADDENDUM #2	11-13-09
2		
3		
4		
5		

SLIDELL MUNICIPAL CENTER BUILDING 2
 SLIDELL, LA

SECOND FLOOR PLAN - PLUMBING

File name	M102.dwg	Drawing number	M102
Project number	51093.02		
Date	9-05-09		
Phase	100% FIRE MARSHAL		