



- 1 8" CMU, RE: (04810)
- 2 BATT INSULATION, RE: (07212)
- 3 3/4" PORTLAND CEMENT PLASTER W 1/8" ACRYLIC FINISH COAT, RE: (09220)
- 4 FLUID-APPLIED MEMBRANE AIR BARRIERS APPLIED OVER EXTERIOR GYP. BD., RE: (07272)
- 5 3/8" GLASS-REINFORCED EXTERIOR GYP. BD., RE: (09260)
- 6 5/8" TYPE "X" GYPSUM BOARD, RE: (09260)
- 7 6" METAL FRAMING DOUBLE HEADER, RE: (09111)
- 8 RAKED DRIP EDGE IN PORTLAND CEMENT PLASTER W 1/8" ACRYLIC FINISH COAT, RE: (09220)
- 9 JOINT SEALERS ALL AROUND FRAME, RE: (07900)
- 0 TREATED 2X CONTINUOUS WOOD NAILER, RE: (06100)
- 11 TREATED CONTINUOUS 3/4" WOOD NAILER, RE: (06100)
- 12 SHIM WITH BACKER ROD & JOINT SEALERS ALL AROUND FRAME BOTH SIDES, RE: (07900)
- 13 CENTER LINE OF METAL STUD FRAMING OR CMU
- 14 ALUMINUM-FRAMED ENTRANCES AND STOREFRONTS, RE: (08410)
- 15 ALUMINUM FLASHING, RE: (08410)
- 16 RE: FINISH SCHEDULE
- 17 CAST-IN-PLACE CONCRETE, RE: (03300)
- 18 TILE, RE: FINISH SCHEDULE, RE: (09300)
- 19 WEEP HOLE
- 20 1/2" OPEN SPACE TO GRAVEL FILL FOR WEEP HOLE
- 21 STEEL DOOR FRAMES, RE: (08115)
- 22 3 5/8" METAL FRAMING, RE: (09111)
- 23 RE: STRUCTURAL FOR CMU REINFORCEMENT

PROJECT DESIGN GROUP, LLC
 300 LAFAYETTE STREET, SUITE 200
 NEW ORLEANS, LOUISIANA 70130
 (504) 523-6472 FAX (504) 529-1181

SIZELER THOMPSON BROWN ARCHITECTS

REK ARCHITECTS, LLC
 21489 KOOP DRIVE, SUITE 5
 MANDEVILLE, LOUISIANA 70471
 (985) 875-7534 FAX (985) 875-7837

architects

revisions		
no.	revision	date

**SLIDELL MUNICIPAL CENTER
 BUILDING 2**
 SLIDELL, LA

DOOR AND WINDOW DETAILS

	file name	drawing number
	project number	51093.02
	date	9-5-09
	phase	CD

A4.3

3. DOOR DETAILS
 SCALE: 3/8" = 1'-0"

2. DOOR DETAILS
 SCALE: 3/8" = 1'-0"

1. WINDOW DETAILS
 SCALE: 3/8" = 1'-0"