



**PARTITION NOTES:**

- ALL ELECTRICAL PANELS, VERIFY DEPTH AND INCREASE STUD SIZE TO FULLY RECESS PANEL. VERIFY WITH ARCHITECT WHICH SIDE OF PARTITION TO INCREASE.
- AT DOOR FRAMES, ANGLE BRACE TO STRUCTURE ABOVE WITH TWO STUDS AT EACH JAMB FROM CEILING LINE.
- ALL GYP BOARD SHALL BE 5/8" TYPE 'X', EXCEPT WHERE WATER RESISTANT GYP BD IS REQUIRED.
- PROVIDE MOISTURE RESISTANT 'MR' (GREEN) GYP BD AT 'WET' WALLS.
- SEE FINISH SCHEDULE FOR CEILINGS, WALL FINISHES, FLOORS AND BASES.
- PROVIDE TILE COUNCIL OF AMERICA'S APPROVED METHOD OF INSTALLATION FOR PORCELAIN AND QUARRY TILE FOR APPROVAL BY A/E.



**P-1** 3 5/8" DRYWALL PARTITION    **P-2** 6" DRYWALL PARTITION    **P-3** 8" DRYWALL PARTITION    **P-4** PLUMBING CHASE WALL    **P-5** 3 5/8" SOUND PARTITION (STC RATING = APPROX 43)    **P-6** 6" SOUND PARTITION (STC RATING = APPROX 43)    **P-7** PLUMBING CHASE / SOUND PARTITION (STC RATING = APPROX 43)




**P-8** CMU INTERIOR PARTITION    **P-9** CMU INTERIOR PARTITION    **P-10** CMU CHASE WALL    **P-11** CMU CHASE WALL

**1 PARTITION TYPES**

A4.12 A4.12 3/4" = 1'-0"

Project no. 20-0901  
 drawn JES  
 checked JJP  
 date 01.15.2010  
 revised



**MEYER ENGINEERS, LTD.**  
 ENGINEER & ARCHITECT

INTERIOR PARTITION TYPES  
**VAL RIESS PARK**  
 MULTI-PURPOSE BUILDING  
 ST. BERNARD PARISH, OWNER

sheet no. **A4.12**  
 of \_\_\_ sheets